

HPD UNIQUE IDENTIFIER: 29906

CLASSIFICATION: 08 81 00 Glass Glazing

PRODUCT DESCRIPTION: OPACI-COAT-300® has been used on spandrel and wall cladding glass on thousands of buildings worldwide – including some of the world’s prominent commercial projects. Using OPACI-COAT-300® allows architects and designers to access a virtually unlimited color palette – with one of the strictest color tolerances – to create a “stand-out” project or work toward a harmonious appearance from vision glass to spandrel glass. Architects, designers and facade consultants can count on the material to not reduce the strength of heat strengthened glass, and when specified, provide glass fallout resistance. "OPACI-COAT-300®" is the trade name for a patented one component, water-based silicone coating that is fully cured to a tack-free silicone elastomeric film, providing opacification in any color to glass and related construction materials. This HPD covers OPACI-COAT-300® as applied to glass and fully cured.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and For all contents above the threshold, the manufacturer has: Characterized, Screened, Identified. Includes radio button options for Yes/No.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SOLID / PLATE GLASS [SOLID / PLATE GLASS LT-UNK] OPACI-COAT-300® (CURED, DRIED) [SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED BM-2, EYE SILICA, AMORPHOUS BM-1, CAN | MAM TITANIUM DIOXIDE LT-1 | CAN | END || MAM FERRIC OXIDE BM-1 | CAN | MAM | EYE | SKI C.I. PIGMENT GREEN 50 LT-1 | CAN | RES | GEN | NICKEL RUTILE YELLOW LT-1 | CAN | C.I. PIGMENT YELLOW 216, RUTILE, TIN ZINC NoGS C.I. PIGMENT YELLOW 227, NIOBIUM SULFUR TIN ZINC OXIDE NoGS C.I. PIGMENT BLUE 28 LT-1 | CAN | RES | GEN | FERRIC OXIDE YELLOW LT-UNK | CARBON BLACK BM-1 | CAN | EYE || MAM C.I. PIGMENT GREEN 36 LT-UNK | 5,12-DIHYDROQUINO(2,3-B)ACRIDINE-7,14-DIONE LT-UNK C.I. PIGMENT BLUE 15 BM-3 | 2,2'-((3,3'-DICHLORO(1,1'-BIPHENYL)-4,4'-DIYL)BIS(AZO))BIS(N-(4-C-HORO-2,5-DIMETHOXYPHENYL)-3-OXOBUTYRAMIDE) LT-P1 | EYE || AQU ALUMINA TRIHYDRATE BM-2 | SKI | EYE |]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-1, LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight. This HPD covers all possible color options of OPACI-COAT-300®. Not every pigment substance listed will be present in every color. Percent by weight of pigments given represents the absolute maximum possible in the product if only a single pigment is used. However, multiple pigments are routinely blended to create the numerous colors offered; therefore, most pigments listed in this HPD will fall below the Content Inventory Threshold indicated. Please seek manufacturer assistance if more information is required.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Elixir Environmental

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-09-16

PUBLISHED DATE: 2022-09-16

EXPIRY DATE: 2025-09-16

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

SOLID / PLATE GLASS

#: 98.6000 - 99.1000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on supplier SDS and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of material reported as range to account for possible differences in glass type selected.

SOLID / PLATE GLASS

ID: 65997-17-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-09-16 13:50:06

#: 100.0000 - 100.0000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

EC - CEPA DSL

Persistent

ADDITIONAL LISTINGS

AGENCY

NOTIFICATION

EXEMPT

European Union / European Commission (EU EC)

EU - REACH Exemptions

Exempted from REACH Annex V listing due to intrinsic safety

POSITIVE LIST

US Environmental Protection Agency (US EPA)

US EPA - DfE SCIL

Green Circle - Verified Low Concern

SUBSTANCE NOTES:

OPACI-COAT-300® (CURED, DRIED)

#: 0.9000 - 1.4000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on direct testing (FTIR and GC/MS), supplier SDS, and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of material reported as range to account for possible differences in glass type selected. Percent by weight of substances reported as range to protect proprietary formulation, and to account for the numerous colors of OPACI-COAT-300 available for specification.

SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED

ID: 70131-67-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-09-16 13:50:07

%: 75.0000 - 85.0000 GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|---------------------|---|---|
| EYE | GHS - New Zealand | Eye irritation category 2 |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
| POSITIVE LIST | US Environmental Protection Agency (US EPA) | US EPA - DfE SCIL Green Half-Circle - Expected Low Concern |

SUBSTANCE NOTES: Crosslinked Polydimethylsiloxane. Water-based silicone coating that is fully cured to a tack-free silicone elastomeric film providing opacification in any color to glass and related construction materials. GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

SILICA, AMORPHOUS

ID: 7631-86-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-16 13:50:08**

%: 10.0000 - 20.0000 GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|---------------------|---|---|
| CAN | GHS - Japan | H350 - May cause cancer [Carcinogenicity - Category 1A] |
| CAN | GHS - Australia | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B] |
| | EC - CEPA DSL | Persistent |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - Australia | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1] |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
| POSITIVE LIST | US Environmental Protection Agency (US EPA) | US EPA - DfE SCIL Green Circle - Verified Low Concern |

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool. Form-specific hazards not expected to apply when substance is bound in the matrix of the cured and dried product.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-16 13:50:08**

%: 0.0000 - 12.0000 GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|---------------------|--|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| CAN | MAK | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CAN | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| | EC - CEPA DSL | Persistent |
| CAN | GHS - Japan | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| CAN | EU - Annex VI CMRs | Carcinogen Category 2 - Suspected human Carcinogen |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
| POSITIVE LIST | US Environmental Protection Agency (US EPA) | US EPA - DfE SCIL Green Circle - Verified Low Concern |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products |

SUBSTANCE NOTES: Form-specific hazards not expected to apply when substance is bound in the matrix of the cured and dried product. Substance not present in all colors; contact manufacturer if more information is required.

FERRIC OXIDE

ID: 1309-37-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-16 13:50:09**

#: **0.0000 - 12.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|---------------------|------------------------|---|
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| | EC - CEPA DSL | Persistent |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool. Form-specific hazards not expected to apply when substance is bound in the matrix of the cured and dried product. Substance not present in all colors; contact manufacturer if more information is required.

C.I. PIGMENT GREEN 50

ID: **68186-85-6**

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2022-09-16 13:50:10 | | |
|--|--------------------------------|---|-----------------|--------------------------------|
| %: 0.0000 - 12.0000 | GreenScreen: LT-1 | RC: None | NANO: No | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| CAN | IARC | Group 1 - Agent is Carcinogenic to humans | | |
| CAN | CA EPA - Prop 65 | Carcinogen | | |
| CAN | US NIH - Report on Carcinogens | Known to be a human Carcinogen | | |
| CAN | MAK | Carcinogen Group 2 - Considered to be carcinogenic for man | | |
| RES | MAK | Sensitizing Substance Sah - Danger of airway & skin sensitization | | |
| GEN | MAK | Germ Cell Mutagen 3a | | |
| | EC - CEPA DSL | Persistent | | |

| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
|---------------------|--|--|
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Footwear, Apparel & Jewelry Products |

SUBSTANCE NOTES: Substance not present in all colors; contact manufacturer if more information is required.

NICKEL RUTILE YELLOW

ID: 8007-18-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-16 13:50:10**

%: **0.0000 - 12.0000** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|--------------------------------|---|
| CAN | IARC | Group 1 - Agent is Carcinogenic to humans |
| CAN | CA EPA - Prop 65 | Carcinogen |
| CAN | US NIH - Report on Carcinogens | Known to be a human Carcinogen |
| | EC - CEPA DSL | Persistent |

| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
|---------------------|--|--|
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Footwear, Apparel & Jewelry Products |

SUBSTANCE NOTES: Substance not present in all colors; contact manufacturer if more information is required.

C.I. PIGMENT YELLOW 216, RUTILE, TIN ZINC

ID: 85536-73-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-16 13:50:11**

%: **0.0000 - 12.0000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|---------------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Substance not present in all colors; contact manufacturer if more information is required.

C.I. PIGMENT YELLOW 227, NIOBIUM SULFUR TIN ZINC OXIDE

ID: 1374645-21-2

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2022-09-16 13:50:12 | | |
|--|--------------------------|---|-----------------|--------------------------------|
| %: 0.0000 - 12.0000 | GreenScreen: NoGS | RC: None | NANO: No | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION | | |
| None found | | No listings found on Additional Hazard Lists | | |

SUBSTANCE NOTES: Substance not present in all colors; contact manufacturer if more information is required.

C.I. PIGMENT BLUE 28

ID: 1345-16-0

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2022-09-16 13:50:12 | | |
|--|--|---|-----------------|--------------------------------|
| %: 0.0000 - 10.0000 | GreenScreen: LT-1 | RC: None | NANO: No | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| CAN | MAK | Carcinogen Group 2 - Considered to be carcinogenic for man | | |
| RES | MAK | Sensitizing Substance Sah - Danger of airway & skin sensitization | | |
| GEN | MAK | Germ Cell Mutagen 3a | | |
| | EC - CEPA DSL | Persistent | | |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION | | |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 | | |
| | | Biological and Environmentally Released Materials | | |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 | | |
| | | Children's Products | | |

SUBSTANCE NOTES: Substance not present in all colors; contact manufacturer if more information is required.

FERRIC OXIDE YELLOW

ID: 51274-00-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-16 13:50:13**

%: **0.0000 - 10.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|---------------------|------------------------|--|
| | EC - CEPA DSL | Persistent |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Substance not present in all colors; contact manufacturer if more information is required.

CARBON BLACK

ID: 1333-86-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-16 13:50:14**

%: **0.0000 - 6.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|---------------------|-----------------------------------|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| EYE | GHS - New Zealand | Eye irritation category 2 |
| | EC - CEPA DSL | Persistent |
| CAN | GHS - New Zealand | Carcinogenicity category 2 |
| CAN | GHS - Japan | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool. Form-specific hazards not expected to apply when substance is bound in the matrix of the cured and dried product. Substance not present in all colors; contact manufacturer if more information is required.

C.I. PIGMENT GREEN 36

ID: 14302-13-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-16 13:50:14**

#: 0.0000 - 6.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Pigment

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|---------------------|---|--|
| | EC - CEPA DSL | Persistent |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions |

SUBSTANCE NOTES: Substance not present in all colors; contact manufacturer if more information is required.

5,12-DIHYDROQUINO(2,3-B)ACRIDINE-7,14-DIONE

ID: 1047-16-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-09-16 13:50:15

#: 0.0000 - 6.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Pigment

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|---------------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Substance not present in all colors; contact manufacturer if more information is required.

C.I. PIGMENT BLUE 15

ID: 147-14-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-09-16 13:50:15

#: 0.0000 - 6.0000 GreenScreen: BM-3 RC: None NANO: No SUBSTANCE ROLE: Pigment

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|---------------------|---|--|
| | EC - CEPA DSL | Persistent |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
| POSITIVE LIST | US Environmental Protection Agency (US EPA) | US EPA - DfE SCIL Green Circle - Verified Low Concern |

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-3 was provided by the HPD Builder Tool. Substance not present in all colors; contact manufacturer if more information is required.

2,2'-((3,3'-DICHLORO(1,1'-BIPHENYL)-4,4'-DIYL)BIS(AZO))BIS(N-(4-C-HORO-2,5-DIMETHOXYPHENYL)-3-OXOBUTYRAMIDE)

ID: 5567-15-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-09-16 13:50:16

#: 0.0000 - 6.0000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Pigment

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|---------------------|--|--|
| EYE | GHS - New Zealand | Eye irritation category 2 |
| | EC - CEPA DSL | Persistent |
| | EC - CEPA DSL | Bioaccumulative |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - chronic category 3 |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions |

SUBSTANCE NOTES: Substance not present in all colors; contact manufacturer if more information is required.

ALUMINA TRIHYDRATE

ID: 21645-51-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-16 13:50:17**

%: **0.0000 - 2.0000** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|---------------------|--|--|
| SKI | GHS - New Zealand | Skin irritation category 2 |
| EYE | GHS - New Zealand | Eye irritation category 2 |
| | EC - CEPA DSL | Persistent |
| ADDITIONAL LISTINGS | AGENCY | NOTIFICATION |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products |

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool. Substance not present in all colors; contact manufacturer if more information is required.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party

ISSUE DATE: 2017-09-01

CERTIFIER OR LAB: Berkeley

APPLICABLE FACILITIES: Ridgefield, WA USA

EXPIRY DATE:

Analytical

CERTIFICATE URL: <https://tinyurl.com/ysskwnm6>

CERTIFICATION AND COMPLIANCE NOTES: Certificate Number: 170901-02. Reference Standard: California Department of Public Health CDPH/EHLB/Standard Method Version 1.2, 2017 (Emission testing method for CA Specification 01350). Modeling scenario: CDPH/EHLB/Standard Method V1.2 Standard Classroom & Office. Results: "No formaldehyde or other target CREL VOCs were detected."

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

ICD values sustainability, responsibility, quality and innovation. Our purpose is to create healthier working and living spaces through chemistry.

MANUFACTURER INFORMATION

MANUFACTURER: ICD High Performance Coatings
ADDRESS: 7350 S Union Ridge Parkway
 Ridgefield WA 98642, USA
WEBSITE: www.icdcoatings.com

CONTACT NAME: Tim Krytenberg
TITLE: Lab Manager
PHONE: +1 360-546-2286
EMAIL: tim.krytenberg@icdcoatings.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-P1 List Translator Possible 1 (Possible Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | LT-UNK List Translator Benchmark Unknown |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | NoGS No GreenScreen. |
| BM-U Benchmark Unspecified (due to insufficient data) | |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.